


INSTALLATION AND OPERATING INSTRUCTIONS



EASY-FILL HOT FOOD WARMER

Models:

SM50EZ, SHFWEZ-12D, SHFWEZ-1, SHFWEZ-2D, -3D, -4D, -5D, -6D

INTENDED FOR OTHER THAN HOUSEHOLD USE

RETAIN THIS MANUAL FOR FUTURE REFERENCE UNIT MUST BE KEPT CLEAR OF COMBUSTIBLES AT ALL TIMES



WARNING: Improper installation, adjustment, alteration, service or maintenance can cause property damage, injury or death. Read the Installation, Operating and Maintenance Instructions thoroughly before installing or servicing this equipment.



Initial heating of unit may generate smoke or fumes and must be done in a well ventilated area. Overexposure to smoke or fumes may cause nausea or dizziness.

This equipment has been engineered to provide you with year-round dependable service when used according to the instructions in this manual and standard commercial kitchen practices.

P/N 70103009 3/06

Phone: +1 (214) 421-7366 Fax: +1 (214) 565-0976 Toll Free: +1 (800) 527-2100 Website: www.apwwyott.com E-mail: info@apwwyott.com

APW WYOTT

729 Third Avenue Dallas, TX 75226

TABLE OF CONTENTS

| General Installation | | 2 | | | |
|--|--|--------|--|--|--|
| Specifications: | A SM50EZ B SM50EZ-12D C SHFWEZ-1D D SHFWEZ-2, -3, -4, -5, -6 | 5 6 | | | |
| SM50EZ | Parts List & Exploded ViewWiring Diagram | | | | |
| SHFWEZ-12D | Parts List & Exploded View | | | | |
| SHFWEZ-1D | Parts List & Exploded View | | | | |
| SHFWEZ-1D w/Shut-Off Valve | Parts List & Exploded View | 14 | | | |
| SHFWEZ-2, -3, -4, -5, -6 | Parts List & Exploded View | 16 | | | |
| SHFWEZ-2D, -3D, -4D, -5D, -6D w/Shut-Off Valve | Parts List & Exploded View Wiring Diagram | | | | |
| Warranty | | 22 | | | |

GENERAL INSTALLATION


- 1. Always clean equipment thoroughly before use. (See general cleaning instructions.)
- 2. Check rating label for your model designation & electrical rating.
- 3. For best results, use stainless steel counter tops.
- 4. All dimensions in parenthesis in centimeters unless noted.


INSTALLATION INSTRUCTIONS FOR EZ WELL SUPPLY LINE

- 1. Install PIN 54508, brass fitting in each end of the solenoid using Teflon tape (not supplied).
- 2. Wrap the threads of the fitting as shown in the figure NO.1.
- 3. Remove the nut from the brass fitting and the sleeve from the inside of the fitting.
- 4. Place the sleeve and the nut, nut first, over the W copper tubing, PIN 54578, supplied with the equipment.
- 5. Install the line into the solenoid and tighten the nut finger tight.
- 6. Using a wrench, tighten the nut far enough to crush the sleeve and attach the line.

NOTE: Do not over tighten nut. Just enough pressure is required to stop water leaks.

- 7. Install the 3/8 x 1/4 adapter to the 3/8 stainless steel tube fitting using Teflon tape as shown in figure NO.2.
- 8. Using the other end of the copper tube, install the line, nut, and sleeve to the adapter.
- 9. Tighten using the same procedure as before.
- Turn on water supply and look for leaks. If any leaks are found, tighten the nuts until leak is stopped.
 NOTE: With EZ-fill multi-well units, turning on any of the controls will start water to fill all of the wells.
 To fill, turn one control to the first position and allow all wells to fill completely. After wells are full, set controls to desired settings.
 - INSTALLATION MUST BE DONE BY AUTHORIZED PLUMBER.





GENERAL OPERATION INSTRUCTIONS

- 1. All food service equipment should be operated by trained personnel.
- 2. Do not allow your customers to come in contact with any surface labeled "CAUTION HOT."
- 3. Do not cook, warm or hold food directly in liner pans (well pans). Always use steam table pans / insets, etc. Steam table pan depth should not exceed 6".
- 4. Never hold food below 150°F (66°C).

Wet set-up and operation procedures (Units with drains)

1. Turn thermostat control to "10" setting or if equipped with infinite controls to "7" or "HI". Preheat for approximately 30 minutes. Pans will fill, to correct level, with water to white probe. . 2. Place covered inset with preheated product into well. 3. Readjust control after another 30 minutes of operation to the "6" setting depending on the amount and/or thickness of product. 4. Keep inset / steamtable pan(s) covered to maintain ideal serving temperature. 5. Water is automatically kept at correct level.

NOTE: Turning on any control will activate autofill.

GENERAL CLEANING INSTRUCTIONS

- 1. NEVER clean any electrical unit by immersing it in water. Turn off before surface cleaning.
- 2. Always clean equipment thoroughly before first use. Clean unit daily. Except where noted on charts: Use warm, soapy water. Mild cleansers & PLASTIC scouring pads may be used to remove baked-on food & water scale.
- 3. Turn off electrical units before cleaning or servicing. All service should be performed by an APW authorized agency.


GENERAL TROUBLESHOOTING


Always Ask & Check:

- 1. Is the unit connected to a live power source?
- 2. Check the circuit breaker.
- Is power switch on & pilot light glowing?
- 4. Check rating label. Are you operating unit on proper voltage?

If the above checks out, and you still have problems, call an APW authorized service agency.

Part Numbers Beginning with WHFW





- 1. Water fill is 3/8 (1.0) tubing connection on left back of left controls.
- 2. Main drain is ¾ female NPT.

INSTALLATION

- 1. Follow general installation instructions on page 3.
- Make applicable Cut-Out per above table. Note: Unit is designed for installation in stainless steel tops. Optional wood mounting kit available.
- 3. Apply putty tape to the underside perimeter of the well rim outer edge.
- 4. Apply a 1/4" (.6) bead of silicone sealant adjacent to the putty tape on the well flange.
- 5. Drop well into opening from the top and push down until entire parameter of rim is flush with the counter surface.
- From below the counter surface insert an 8" to 10" (20 to 25 cm) flat tip screwdriver into the locking ring tab slots and twist in a clockwise motion to lock well in place.
- 7. Trim excess putty and sealant from around well rim.
- 8. Mount control to front panel using hardware. Maintain 4" (10.2) clearance between well and front panel.
- 9. Check nameplate for proper voltage. Connect power.
- 10. Connect overflow tube on hot food well to suitable tubing to handle 212°F water. Run to open drain.

Note: Electrically connect units to comply with local and NEC codes.

| MODEL | OUTSIDE DIMENSIONS | | | INSIDE DIMENSIONS | CONTROL | SHIP WT. | | | | |
|----------------|--------------------|-----------------|-----------------|-------------------|------------------|---------------|----------------|---------------------|--|--|
| WIODEL | Α | В | С | E | D | F | G | SHIP WI. | | |
| SM50EZ WELL | 10.34" (26.3) | 8.38" (21.3) | 6.44" (16.4) | 8.32" (21.1) | 10.875 (27.6) | 5.0 (12.7) | 12.5 (31.8) | 13 Lbs. (5.9 Kg) | | |

OPTIONS

Description: Lever Operated Drain Valve Stock Number: 56360 Drain Manifold: Fabricated to Unit, Required


ELECTRICAL SPECIFICATIONS


| MODEL | ELECTRICAL RATINGS 500 EA. @ 208V / 660 EA. @ 240V | | | | | | | |
|----------------------------|--|---------|----------------|--------------------|--|--|--|--|
| MODEL | VOLTS | WATTS | AMPS (1 Phase) | MAX AMPS (3 PHASE) | | | | |
| SM50EZ WELL 208/240 | | 500/660 | 2.4/2.75 | N/A | | | | |

NOTE: CUT-OUT SIZES ARE DIFFERENT FROM STANDARD APW HOT FOOD WELLS (HFW'S)

- 1. Follow General Operating Instructions on page 3.
- 1. Follow General Cleaning Instructions on page 3

Part Numbers Beginning with WHFW





- 1. Water fill is 3/8 (1.0) tubing connection on left back of left controls.
- 2. Main drain is ¾ female NPT.

INSTALLATION

- 1. Follow general installation instructions on page 3.
- Make applicable Cut-Out per above table. Note: Unit is designed for installation in stainless steel tops. Optional wood mounting kit available.
- 3. Apply putty tape to the underside perimeter of the well rim outer edge.
- 4. Apply a 1/4" (.6) bead of silicone sealant adjacent to the putty tape on the well flange.
- Drop well into opening from the top and push down until entire parameter of rim is flush with the counter surface.
- From below the counter surface insert an 8" to 10" (20 to 25 cm) flat tip screwdriver into the locking ring tab slots and twist in a clockwise motion to lock well in place.
- Trim excess putty and sealant from around well rim.
- Mount control to front panel using hardware. Maintain 4" (10.2) clearance between well and front panel.
- 9. Check nameplate for proper voltage. Connect power.
- Connect overflow tube on hot food well to suitable tubing to handle 212°F water. Run to open drain.

Note: Electrically connect units to comply with local and NEC codes.

| GENERAL SPECIFICATIONS (APW EZFILL HOT FOO | D WELLS) |
|---|----------|
|---|----------|

| MODEL | OUTSIDE DIMENSIONS | | | CUT- | OUT | CONTROL | SHIP WT. | |
|--------------------|--------------------|-----------------|-----------------|-----------------|-----------------|---------------|----------------|----------------------|
| WIODEL | Α | В | С | E | D | F | G | SHIP WI. |
| SM50EZ-12D WELL | 15.21 (38.6) | 12.71 (32.3) | 13.49 (34.3) | 13.75 (34.9) | 11.50 (29.2) | 5.0 (12.7) | 12.5 (31.8) | 22 Lbs. (10.6 Kg) |

OPTIONS

Description: Lever Operated Drain Valve Stock Number: 56360 Drain Manifold: Fabricated to Unit, Required

ELECTRICAL SPECIFICATIONS

| MODEL | ELECTRICAL RATINGS 500 EA. @ 208V / 660 EA. @ 240V | | | | | | |
|-----------------|--|---------|----------------|--------------------|--|--|--|
| MODEL | VOLTS | WATTS | AMPS (1 Phase) | MAX AMPS (3 PHASE) | | | |
| SM50EZ-12D WELL | 208/240 | 500/660 | 2.4/2.75 | N/A | | | |


NOTE: CUT-OUT SIZES ARE DIFFERENT FROM STANDARD APW HOT FOOD WELLS (HFW'S)


OPERATION CLEANING

1. Follow General Operating Instructions on page 3.

1. Follow General Cleaning Instructions on page 3

Part Numbers Beginning with WHFW





- 1. Water fill is 3/8 (1.0) tubing connection on left back of left controls.
- 2. Main drain is ¾ female NPT.

INSTALLATION

- 1. Follow general installation instructions on page 3.
- Make applicable Cut-Out per above table. Note: Unit is designed for installation in stainless steel tops. Optional wood mounting kit available.
- 3. Apply putty tape to the underside perimeter of the well rim outer edge.
- 4. Apply a 1/4" (.6) bead of silicone sealant adjacent to the putty tape on the well flange.
- 5. Drop well into opening from the top and push down until entire parameter of rim is flush with the counter surface.
- 6. From below the counter surface insert an 8" to 10" (20 to 25 cm) flat tip screwdriver into the locking ring tab slots and twist in a clockwise motion to lock well in place.
- 7. Trim excess putty and sealant from around well rim.
- Mount control to front panel using hardware. Maintain 4" (10.2) clearance between well and front panel.
- 9. Check nameplate for proper voltage. Connect power.
- 10. Connect overflow tube on hot food well to suitable tubing to handle 212°F water. Run to open drain.

Note: Electrically connect units to comply with local and NEC codes.

| GENERAL SPECIFICATIONS | (APW EZFILL HOT FOOD WELLS |
|------------------------|----------------------------|
|------------------------|----------------------------|

| MODEL | | OUTSIDE | DIMENSIO | ONS | CUT-OUT | | CONTROL CUT-OUT | | SHIP WT. | |
|------------------|------------------|------------------|-------------------|------------------|------------------|------------------|-----------------|-----------------|------------------------|--|
| | Α | В | С | Н | D | E | F | G | 31111 W1. | |
| SHFWEZ-1 WELL | 15.38" (39.1) | 23.44" (59.5) | 13.80" (35.10) | 12.85" (32.6) | 14.25" (36.2) | 22.25" (56.5) | 5.0" (12.7) | 12.5" (31.8) | 12.4 Lbs. (10.9 Kg) | |

OPTIONS

Description: Lever Operated Drain Valve Stock Number: 56360 Drain Manifold: Fabricated to Unit, Required

ELECTRICAL SPECIFICATIONS

| MODEL | 1200 | ELECTRICA EA. @ 208V / | | | ELECTRICAL RATINGS 1600 EA. @ 208V | | | |
|---------------|---------|---------------------------|----------------|----------------|---------------------------------------|-------|----------------|----------------|
| | VOLTS | WATTS | AMPS (1 Ph) | AMPS (3 Ph) | VOLTS | WATTS | AMPS (1 Ph) | AMPS (3 Ph) |
| SHFWEZ-1 WELL | 208/240 | 1200/1600 | 5.8 / 6.7 | N/A | 208 | 1600 | 7.7 | N/A |

NOTE: CUT-OUT SIZES ARE DIFFERENT FROM STANDARD APW HOT FOOD WELLS (HFW'S)


OPERATION CLEANING

1. Follow General Operating Instructions on page 3.

1. Follow General Cleaning Instructions on page 3

Part Numbers Beginning with WHFW





- Water fill is 3/8 (1.0) tubing connection on left back of left controls.
- 2. 3. Overflow drain is 1/2" (1.3) OD tube outlet
- Main drain is 3/4 female NPT.

INSTALLATION

- Follow general installation instructions on page 3.
- Make applicable Cut-Out per above table. **Note:** Unit is designed for installation in stainless steel tops. Optional wood mounting kit available.
- Apply putty tape to the underside perimeter of the well rim outer edge.
- Apply a 1/4" (.6) bead of silicone sealant adjacent to the putty tape on the well flange.
- Drop well into opening from the top and push down until entire parameter of rim is flush with the counter surface.
- From below the counter surface insert an 8" to 10" (20 to 25 cm) flat tip screwdriver into the locking ring tab slots and twist in a clockwise motion to lock well in place.
- 7. Trim excess putty and sealant from around well rim.
- Mount control to front panel using hardware. Maintain 4" (10.2) clearance between well and front panel.
- Check nameplate for proper voltage. Connect power.
- Connect overflow tube on hot food well to suitable tubing to handle 212°F water. Run to open drain. Note: Electrically connect units to comply with local and NEC codes.

| GENERAL SPECIFICATIONS (APW EZFILL HOT FOOD WELLS) | | | | | | | | | | |
|--|-------------------|------------------|-------------------|-------------------|-------------------|-----------------|----------------|------------------|--------|-----------------------|
| MODEL | (| OUTSIDE | DIMENS | SIONS | CUT | CUT-OUT | | CONTROL CUT-OUT | | |
| WIODEL | Α | В | С | J Overflow | D | Е | F | G | Н | SHIP WT. |
| SHFWEZ-2D WELL | 29.42" (74.2) | 23.44" (59.5) | 27.79" (70.6) | 13.87" (35.2) | 28.5" (72.4) | 22.5" (57.2) | 5.0" (12.7) | 16.50" (41.9) | N/A | 48 Lbs (21.8 Kg). |
| SHFWEZ-3D WELL | 43.46" (110.4) | 23.44" (59.5) | 41.83" (106.2) | 27.92" (70.9) | 42.5" (108) | 22.5" (57.2) | 5.0" (12.7) | 33.50" (85.1) | 12.50" | 68 Lbs (30.8 Kg) |
| SHFWEZ-4D WELL | 57.50" (146.0) | 23.44" (59.5) | 55.87" (141.9) | 27.92" (70.9) | 56.5" (143.5) | 22.5" (57.2) | 5.0" (12.7) | 16.50" (41.9) | N/A | 98 Lbs (44.4 Kg) |
| SHFWEZ-5D WELL | 71.54" (181.7) | 23.44" (59.5) | 69.92" (177.6) | 41.96" (106.6) | 70.05" (179.1) | 22.5" (57.2) | 5.0" (12.7) | 33.50" (85.1) | N/A | 118 Lbs (53.5 Kg) |
| SHFWEZ-6D WELL | 85.59" (217.4) | 23.44" (59.5) | 83.96" (213.2) | 41.96" (106.6) | 84.50" (214.6) | 22.5" (57.2) | 5.0" (12.7) | 33.50" (85.1) | N/A | 260 Lbs (117.9 Kg) |

OPTIONS

Description: Lever Operated Drain Valve Stock Number: 56360 Drain Manifold: Fabricated to Unit, Required

| | | ELI | ECTRICAL S | SPECIFICATI | ONS | | | |
|----------------|---|-----------|----------------|----------------|---------------------------------------|-------|----------------|----------------|
| MODEL | ELECTRICAL RATINGS 1200 EA. @ 208V / 1600 EA. @ 240V | | | | ELECTRICAL RATINGS 1600 EA. @ 208V | | | |
| MODEL | VOLTS | WATTS | AMPS (1 Ph) | AMPS (3 Ph) | VOLTS | WATTS | AMPS (1 Ph) | AMPS (3 Ph) |
| SHFWEZ-2D WELL | 208/240 | 2400/3200 | 12 / 14 | 10 / 12 | 208 | 3200 | 16 | 14 |
| SHFWEZ-3D WELL | 208/240 | 3600/4800 | 18 / 20 | 10 / 12 | 208 | 4800 | 23 | 14 |
| SHFWEZ-4D WELL | 208/240 | 4800/6400 | 24 / 27 | 16 / 18 | 208 | 6400 | 31 | 21 |
| SHFWEZ-5D WELL | 208/240 | 6000/8000 | 29 / 34 | 20 / 24 | 208 | 8000 | 39 | 27 |
| SHFWEZ-6D WELL | 208/240 | 7200/9600 | 35 / 40 | 20 / 24 | 208 | 9600 | 47 | 27 |

NOTE: CUT-OUT SIZES ARE DIFFERENT FROM STANDARD APW HOT FOOD WELLS (HFW'S)


1. Follow General Operating Instructions on page 3.

OPERATION


CLEANING

1. Follow General Cleaning Instructions on page 3


SM50EZ Round Soup Well Drop-In with EZ Lock P/N EZSM50-7D 208/240V, 500/650W




| | PARTS LIST SM50EZ EZ FILL MULTI WELLS | | | | | | |
|------|---------------------------------------|---|------|-------|------------------------------|--|--|
| ITEM | P/N | DESCRIPTION | ITEM | P/N | DESCRIPTION | | |
| 1 | 54561 | Control Box W/Assy 12.50 " | 27 | 54546 | Washer 1/2-20 SS | | |
| 2 | 54503 | Bezel Control 12.50" | 28 | 54549 | Nut, Hex 1/2-20 | | |
| 3 | 56527 | Thermostat 36" Capillary | 29 | 54545 | O-ring For Screw | | |
| 4 | 56528 | Knob, Black | 30 | 88971 | Screw 8-32 X 1-1/2 SS | | |
| 5 | 63012 | Indicator Light (56530) | 31 | 54548 | Spacer, Probe Holder | | |
| 6 | 54577 | Adapter, 1/4" Tube To 3/8" Pipe | 32 | 89063 | Nut, Hex 8-32 | | |
| 7 | 54578 | Tubing, Copper, 1/4" | 33 | 56542 | Plate, Dial-Wells | | |
| 8 | 55343 | 90° Conduit Connector | 34 | 88961 | 10-24 Hex Nut, Green-Ground | | |
| 9 | 54511 | Octal Base Use With 54510 | 35 | 89054 | 6-32 KEPS Nut | | |
| 10 | 54524 | Bracket, Solenoid Valve | 36 | 88993 | 10-32 X 3/8 Truss Head Screw | | |
| 11 | 54513 | Water Solenoid Valve | 37 | 89073 | #8 X 1/2 Sheet Metal Screw | | |
| 12 | 54510 | Liquid Level Control Octal Base | 38 | 51016 | Cover, Terminal | | |
| 4.0 | XXXX | Liquid Level Control Open Board | 39 | 55342 | 3/8" Conduit | | |
| 13 | 54512 | Hold Down Strap Use With 54510 | 40 | 55340 | Anti-Short Bushing | | |
| 14 | 30201 | Terminal Block | 41 | 89120 | Jiffy Clip | | |
| 15 | 54508 | Brass Fitting 1/8 NPT x 1/4 Compression | 42 | 88889 | 8 X 1/2 AB SMS, PhI Truss | | |
| 16 | 54572 | 7 Qt. Round Well Pan W/Copper Tube | 43 | 88977 | 6-32 X 1.0 Slotted Pan Head | | |
| 17 | 50817 | Plate, Heat Diffuser | 44 | 55333 | Wood Mount Kit SM-50-7 | | |
| 18 | 55964 | Heating Element 208/240V, 500W/660W | 45 | 55402 | EZ Lock Clip 4 Tab | | |
| 19 | 55696 | Bracket, Element Holder | | HA | RDWARE NOT SHOWN | | |
| 20 | 55695 | Bracket, Element Holder | | | | | |
| 21 | 89025 | 10-24 Speed Nut | | 56655 | Drain Strainer | | |
| 22 | 55992 | Bottom Cover | | 54532 | Wire Set Two Well | | |
| 23 | 89059 | #10 External Lock Washer | | 54533 | Wire Set Three Well | | |
| 24 | 89061 | Nut, Hex 10-24 | | 54534 | Wire Set Four Well | | |
| 25 | 54544 | O-Ring For Probe Holder | | 54535 | Wire Set Five Well | | |
| 26 | 54543 | Probe Holder | | 54536 | Wire Set Six Well | | |



Small Frame Insulated Top Mount EZ Fill Hot Food Wells HFWEZ12D, P/N EZ12D4B-208/240V-500/660W




| | | PARTS LIST HFWEZ12D | EZ FIL | L MULT | I WELLS |
|---|---|--|--|--|---|
| ITEM | P/N | DESCRIPTION | ITEM | P/N | DESCRIPTION |
| 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 | 54561 55342 55340 54578 88889 54508 56406 54567 54571 30201 56505 88977 89054 54546 54549 54543 88971 54548 89073 | Control Box W/Assy 12.50" 3/8" Conduit Anti-short Bushing Tubing, Copper, 1/4 8 X 1/2 AB Sms, PhI Truss Brass Fitting 1/8 Npt X 1/4 Compression Wrapper, 1/2 Size Outer 1/2 Size Well Pan W/Copper Tube Wrapper Outer End Terminal Block Knob, Black 6-32 X 1.0 Slotted Pan Head 6-32 KEPS Nut Washer 1/2-20 SS Nut, Hex 1/2-20 Probe Holder Screw 8-32 X 1-1/2 SS Spacer, Probe Holder #8 X 1/2 Sheet Metal Screw | 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 | 88961 89025 89059 89061 55343 89120 54511 54524 54513 54510 XXXX 54512 54503 56527 56536 54577 56945 56412 56411 | DESCRIPTION 10-24 Hex Nut, Green-ground 10-24 Speed Nut #10 External Lock Washer Nut, Hex 10-24 90° Conduit Connector Jiffy Clip Octal Base Use With 54510 Bracket, Solenoid Valve Water Solenoid Valve Liquid Level Control Octal Base Liquid Level Control Open Board Hold Down Strap Use With 54510 Bezel Control 12.50" Thermostat 36" Capillary Indicator Light (56530) Adapter, 1/4" Tube To 3/8" Pipe Insulation 12x9x1/2 Insulation 12x9x1/2 |
| 20 21 22 23 24 | 88993 89063 54544 54545 50817 | 10-32 X 3/8 Truss Head Screw Nut, Hex 8-32 O-ring For Probe Holder O-ring For Screw Plate, Heat Diffuser | 49 50 51 | 55305 56402 56388 | EZ Lock, 4 Tab EZ Lock 1/2 Warmer Plate, Hole Cover |
| 25 26 27 28 29 30 | 55964 55695 55696 55992 56404 56655 | Heating Element 208/240V, 500W/1660W Bracket, Element Holder Bracket, Element Holder Bottom Cover Bottom Cover Drain Strainer | | 56542 54532 54533 54534 54535 54536 | Plate, Dial-Wells Wire Set Two Well Wire Set Three Well Wire Set Four Well Wire Set Five Well Wire Set Six Well |




PARTS LIST & EXPLODED VIEW


Small Frame Insulated Top Mount EZ Fill Hot Food Wells HFWEZ-1D SHFWEZ-1D P/N EZ1D2B-208V-1600W, SHFWEZ-1D P/N EZ1D4B-208/240V-1200/1600W



| | PARTS LIST HFWEZ1D EZ FILL MULTI WELLS | | | | | | | |
|---|--|--|--|---|---|--|--|--|
| ITEM | P/N | DESCRIPTION | ITEM | P/N | DESCRIPTION | | | |
| 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 | 54551 54555 55308 55340 54554 54557 54556 56515 56516 89063 56513 30201 56505 88977 89054 54549 54549 54545 89061 56521 89073 88889 54552 54558 | Base Cover, Bottom E-Z Lock, 6 Tab Anti-Short Bushing Wrapper, End Bracket, Wrapper End E-Z Lock, 2 Tab Insulation,20-3/8x8x1/2 Insulation,13x8x1/2 Nut, Hex 8-32 Insulation, 18x12x1 Terminal Block Knob, Thermostat 6-32 X 1.0 Slotted Pan Head 6-32 KEPS Nut Nut, Hex 1/2-20 O-Ring For Screw 10-24 Hex Nut Rivet, Pop 10-24 Speed Nut #8 X 1/2 Sheet Metal Screw 8 X 1/2 AB SMS, Phl Truss Wrapper, Side Bracket, Wrapper Side | 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 | 88971 54548 56655 54561 54511 54524 54513 54510 XXXX 54512 54503 54521 54529 56527 56536 55343 88993 55342 54553 54508 54578 89059 54577 56388 | Screw 8-32 X 1-1/2 SS Spacer, Probe Holder Drain Strainer Control Box W/assy 12.50" Octal Base Use With 54510 Bracket, Solenoid Valve Water Solenoid Valve Liquid Level Control Octal Base Liquid Level Control Open Board Hold Down Strap Use With 54510 Bezel Control 12.50" Bezel Control 16.50" Bezel Control 33.50" Thermostat 36" Capillary Indicator Light (56530) 90° Conduit Connector 10-32 X 3/8 Truss Hd Screw 3/8" Conduit Wrapper, Control End Brass Fitting 1/8 NPT x 1/4 Compression Tubing, Copper, 1/4 #10 External Lockwasher Adapter, 1/4" Tube To 3/8 Pipe Plate, Hole Cover | | | |
| 25 26 | 55789 54564 | Sealant, Permagum Hole Cover | | I | HARDWARE NOT SHOWN | | | |
| 27 28 29 30 31 32 33 34 | 54559 89120 56039 56506 55441 54544 54543 54546 | Well Pan W/Assy (w/Copper Tubes) Jiffy Clip Capillary Cover For Thermostats Reflector Pan Heating Element 208/240V, 1200W/1600W O-ring For (Probe Holder) Probe Holder Washer 1/2-20 SS | | 88961 56542 54532 54533 54534 54535 54536 | 10-24 Hex Nut, Green-Ground Dial Plate Wire Set Two Well Wire Set Three Well Wire Set Four Well Wire Set Five Well Wire Set Six Well | | | |




Small Frame Insulated Top Mount EZ Fill Hot Food Wells HFWEZ-1D SHFWEZ-1D P/N EZ1D2B-208V-1600W, SHFWEZ-1D P/N EZ1D4B-208/240V-1200/1600W




| | | PARTS LIST | SHFWE | Z1D | w/SHUT | -OFF VALVE | |
|------|----------|------------------------------------|-------------|--------|----------------|--------------------------------------|-----------|
| Item | P/N | Description | Quan | Item | P/N | Description | Quan |
| 1 | 54577 | Adapter, 1/4" To 3/8" | 1 | 34 | 88971 | Screw, 8-32x1-1/2 SI Pn Hd SS | 1 |
| 2 | 56542 | Plate, Dial-Wells | 1 | 35 | 88977 | Screw 6-32 X 1 Ph Pan Hd | 2 |
| 3 | 56388 | Plate, Hole Cover | 1 | 36 | 88889 | Screw #8 X 1/2 AB Phl Truss | 2 |
| 4 | 89073 | Screw, #8 X 1/2 Hex Sht Mtl | 32 | 37 | 88993 | Screw 10-32x3/8 Trs Hd Phillips Nylk | 2 |
| 5 | 89059 | Washer #10 External Lock | 2 | 38 | 89025 | Nut, Speed 10-24 Pal Zinc | 16 |
| 6 | 56513 | Insulation, 18 X 12 X 1 | 2 | 39 | 89054 | Nut, KEPS 6-32 | 4 |
| 7 | 52107 | Nipple, 1/2" NPT X 3" Brass | 1 | 40 | 89061 | Nut, Hex 10-24 | 4 |
| 8 | 56360 | Valve, Drain 1/2" Threaded | 1 | 41 | 89063 | Nut, Hex 8-32 | 2 |
| 9 | 89390 | Label, Warranty Against Defects | 1 | 42 | 89120 | Clip, Jiffy | 2 |
| 10 | 70101018 | Tubing, Brass 1/2" X 3" Long | 1 | 43 | 56521 | Rivet, Pop SS-42-D | 12 |
| 11 | 30201 | Terminal Block, 600V, 50A | 1 | 44 | 54561 | W/Ass'y, Control Box | 1 |
| 12 | 54508 | Connector, Male Brass | 2 | 45 | 54512 | Strap, Hold Down | 1 |
| 13 | 54510 | Control, Liquid Level Single Probe | 1 | 46 | 70103066 | W/Ass'y, Ez1 Well Pan W/ Overflow | 1 |
| 14 | 54511 | Base, Liquid Level Control Socket | 1 | 47 | 54551 | Base | 1 |
| 15 | 54513 | Valves, Water Solenoid | 1 | 48 | 54503 | Bezel | 1 |
| 16 | 54543 | Holder, Probe | 1 | 49 | 54578 | Tubing, Copper, 1/4 .032 Wall Refrig | 1 |
| 17 | 54544 | O-Ring, 1/2" ID. X 5/8" OD. | 1 | 50 | 54524 | Bracket, Solenoid Valve | 1 |
| 18 | 54545 | O-Ring, 5/32" ID. X 7/32" OD. | 1 | 51 | 54556 | E-Z Lock, 2 Tab | 2 |
| 19 | 54546 | Washer, 1/2-20 S/S | 1 | 52 | 55342 | Conduit, 1/2" | 1 |
| 20 | 54548 | Spacer, Phenolic | 1 | 53 | 54564 | Plate, Hole Cover | 1 |
| 21 | 54549 | Nut, Hex 1/2-20 Plain | 1 | 54 | 54557 | Bracket, Wrapper End | 2 |
| 22 | 55308 | E-Z Lock, 6 Tab | 2 | 55 | 54554 | Wrapper, End | 1 |
| 23 | 55340 | Bushing, Anti-Short CCD, #1 | 2 | 56 | 54555 | Cover, Bottom | 1 |
| 24 | 55343 | Conduit Connector, 90° Flex | 2 | 57 | 54558 | Bracket, Wrapper Side | 2 |
| 25 | 55441 | Element, 1200/1600W - 208/240V | 1 | 58 | 54552 | Wrapper, Side | 2 |
| 26 | 56039 | Cover, Capillary | 1 | 59 | 55789 | Sealant, GS7500, 6.5 Ft. Lg. | 1 |
| 27 | 56506 | Plate, Reflector | 1 | 60 | 70105017 | Wrapper, Control End | 1 |
| 28 | 56515 | Insulation, 20-3/8 X 8 X 1/2 | 2 | | | | |
| 29 | 56516 | Insulation, 13 X 8 X 1/2 | 2 | | | | |
| 30 | 56541 | Thermostat, Model 375°, 72"cap | 1 | | | | |
| 31 | 60351 | Knob, Thermostat 375°F | 1 | | | | |
| 32 | 56536 | S/A, Pilot Light Amber | 1 | | | | |
| 33 | 56655 | W/Ass'y, Drain Strainer | 1 | | | | |
| | | Note: When ordering, ALWAYS s | pecify Part | # Mode | el #. Serial # | Voltage & Phase. P/N 7010 | 3067 7/05 |

Small Frame Insulated Top Mount EZ Fill Hot Food Wells HFWEZ-2, -3, -4, -5, -6



| | | PARTS LIST HFWEZ-2, -3, -4 | , -5, -6 | EZ FILI | L MULTI WELLS |
|------|-------|---------------------------------------|----------|---------|---|
| ITEM | P/N | DESCRIPTION | ITEM | P/N | DESCRIPTION |
| 1 | 54575 | Well Pan W/Assy (w/Copper Tubes) | 31 | 54524 | Bracket, Solenoid Valve |
| 2 | 55789 | Sealant, Permagum | 32 | 54508 | Brass Fitting 1/8 NPT X 1/4 Compression |
| 3 | 54518 | Well Pan W/Assy (w/o Tubes) | 33 | 54504 | Control Box W/assy 12.50" |
| 4 | 56655 | Drain Strainer | | 54522 | Control Box W/assy 16.50" |
| 5 | 88971 | Screw 8-32 X 1-1/2 SS | | 54529 | Control Box W/assy 33.50" |
| 6 | 54545 | O-ring For Screw | 34 | 54512 | Hold Down Strap Use With 54510 |
| 7 | 54543 | Probe Holder | 35 | 54510 | Liquid Level Control Octal Base |
| 8 | 54544 | O-ring For Probe Holder | | XXXX | Liquid Level Control Open Board |
| 9 | 89063 | Nut, Hex 8-32 | 36 | 88977 | 6-32 X 1.0 Slotted Pan Head |
| 10 | 54548 | Spacer, Probe Holder | 37 | 54511 | Octal Base Use With 54510 |
| 11 | 54546 | Washer 1/2-20 SS | 38 | 54503 | Bezel Control 12.50" |
| 12 | 54549 | Nut, Hex 1/2-20 | | 54521 | Bezel Control 16.50" |
| 13 | 57264 | Well Brace | | 54529 | Bezel Control 33.50" |
| 14 | 54577 | Adapter, 1/4" Tube To 3/8 Pipe | 39 | 88889 | 8 X 1/2 AB SMS, Phl Truss |
| 15 | 55441 | Heating Element 208/240V, 1200W/1600W | 40 | 56536 | Indicator Light (56530) |
| | 54051 | Heating Element 208V/1600W | 41 | 56505 | Knob, Thermostat |
| 16 | 89059 | #10 External Lockwasher | 42 | 89054 | 6-32 KEPS Nut |
| 17 | 89120 | Jiffy Clip | 43 | 54513 | Water Solenoid Valve |
| 18 | 89061 | 10-24 Hex Nut | 44 | 30201 | Terminal Block |
| 19 | 56039 | Capillary Cover For Thermostats | 45 | 56540 | Thermostat 72" Capillary |
| 20 | 56506 | Reflector Pan | 46 | 56527 | Thermostat 36" Capillary |
| 21 | 89025 | 10-24 Speed Nut | 47 | 55099 | 3/4" Conduit 24" Long |
| 22 | 57252 | 2 Well Top Plate | 48 | 55058 | 90° Conduit Connector |
| | 57260 | 3 Well Top Plate | 49 | 88993 | 10-32 X 3/8 Truss Head Screw |
| | 57263 | 4 Well Top Plate | 50 | 55059 | Anti-Short Bushing |
| | 57290 | 5 Well Top Plate | 51 | 87822 | Washer Reducing 1 X 3/4 |
| | 57363 | 6 Well Top Plate | 52 | 89184 | 7/8" Hole Bushing |
| 23 | 89073 | #8 X 1/2 Sheet Metal Screw | 53 | 57258 | 2 Well Drain Manifold |
| 24 | 55308 | E-Z Lock, 6 Tab | | 57273 | 3 Well Drain Manifold |
| 25 | 56050 | End Cover | | 57267 | 4 Well Drain Manifold |
| 26 | 56048 | Conduit Brace | | 57293 | 5 Well Drain Manifold |
| 27 | 57254 | 2 Well Front Or Back Cover | | 57366 | 6 Well Drain Manifold |
| | 57262 | 3 Well Front Or Back Cover | | | HARDWARE NOT SHOWN |
| | 57266 | 4 Well Front Or Back Cover | | | |
| | 57292 | 5 Well Front Or Back Cover | | 88961 | 10-24 Hex Nut, Green-Ground |
| | 57365 | 6 Well Front Or Back Cover | | 54578 | Tubing, Copper |
| 28 | 60150 | 1" X 7" X 48" Insulation High Temp | | 56542 | Dial Plate |
| 29 | 56388 | Hole Cover | | 54532 | Wire Set Two Well |
| 30 | 54526 | 2 Well Bottom Cover | | 54533 | Wire Set Three Well |
| | 54538 | 3 Well Bottom Cover | | 54534 | Wire Set Four Well |
| | 54539 | 4 Well Bottom Cover | | 54535 | Wire Set Five Well |
| | 54540 | 5 Well Bottom Cover | | 54536 | Wire Set Six Well |
| | 54541 | 6 Well Bottom Cover | | | |
| | | | | | |


Small Frame Insulated Top Mount EZ Fill Hot Food Wells SHFWEZ-2D, -3D, -4D, -5D, -6D




| | | PARTS LIST SHFWEZ-20 | D, -3D, - | 4D, -5 | D, -6D | w/SHUT-OFF VALVE | |
|------|----------|--------------------------------------|-------------|----------|-------------|------------------------------|---------|
| Item | P/N | Description | Quan | Item | P/N | Description | Quan |
| 1 | 54579 | W/Ass'y, EZ Fill Well, 600 Pan | 1 | 48 | 57258 | 2 Well Drain Manifold | 1 |
| 2 | 56655 | W/Ass'y, Drain Strainer | 5 | | 57273 | 3 Well Drain Manifold | 1 |
| 3 | 55789 | Sealant, Gs7500, 6.5 Ft. Lg. | 5 | | 57267 | 4 Well Drain Manifold | 1 |
| 4 | 56388 | Plate, Hole Cover | 10 | | 57293 | 5 Well Drain Manifold | 1 |
| 5 | 54580 | W/Ass'y, 600 Well Pan | 4 | | 57366 | 6 Well Drain Manifold | 1 |
| 6 | 55099 | Conduit 3/4" Length 24" | 1 | 49 | 57252 | 2 Well Top Plate | 1 |
| 7 | 89120 | Clip, Jiffy | 10 | | 57260 | 3 Well Top Plate | 1 |
| 8 | 56506 | Plate, Reflector | 5 | | 57263 | 4 Well Top Plate | 1 |
| 9 | 89061 | Nut, Hex 10-24 | 20 | | 57290 | 5 Well Top Plate | 1 |
| 10 | 88993 | Screw 10-32x3/8 Trs Hd Phillips | 10 | | 57363 | 6 Well Top Plate | 1 |
| 11 | 55441 | Element, 1200/1600W - 208/240V | 5 | 50 | 57254 | 2 Well Cover, Front And Back | 2 |
| 12 | 89059 | Washer #10 External Lock | 10 | | 57262 | 3 Well Cover, Front And Back | 2 |
| 13 | 89390 | Label, Warranty Against Defects | 1 | | 57266 | 4 Well Cover, Front And Back | 2 |
| 14 | 88889 | Screw #8 X 1/2 AB Sms Phl Truss | 4 | | 57292 | 5 Well Cover, Front And Back | 2 |
| 15 | 56541 | Thermostat, Model 375°, 72"cap | 5 | | 57365 | 6 Well Cover, Front And Back | 2 |
| 16 | 54577 | Adapter, 1/4" Tube to 3/8" Pipe | 1 | 51 | 54526 | 2 Well EZ Fill, Bottom Cover | 1 |
| 17 | 56542 | Plate, Dial-Wells | 1 | | 54538 | 3 Well EZ Fill, Bottom Cover | 1 |
| 18 | 30201 | Terminal Block, 600V, 50A | 1 | | 54539 | 4 Well EZ Fill, Bottom Cover | 1 |
| 19 | 89054 | Nut, KEPS 6-32 | 4 | | 54540 | 5 Well EZ Fill, Bottom Cover | 1 |
| 20 | 56536 | S/A, Pilot Light Amber | 5 | | 54541 | 6 Well EZ Fill, Bottom Cover | 1 |
| 21 | 89073 | Screw, #8 X 1/2 Hex Tapit Sht Mtl | 70 | 52 | 56048 | W/Ass'y, Conduit Brace | 2 |
| 22 | 56039 | Cover, Capillary | 5 | 53 | 56050 | Housing, End | 2 |
| 23 | 89025 | Nut, Speed 10-24 Pal Zinc | 80 | 54 | 57264 | Brace, Well Runner | 4 |
| 24 | 60351 | Knob, Thermostat 375°F | 5 | 55 | 55308 | E-Z Lock, 6 Tab | 6 |
| 25 | 56360 | Valve, Drain 1/2" Threaded | 5 | 56 | 60150 | Insulation | 20 |
| 26 | 54544 | O-Ring, 1/2" ID X 5/8" OD | 1 | 57 | 54503 | Bezel Control 12.50" | 1 |
| 27 | 89063 | Nut, Hex 8-32 | 2 | | 54521 | Bezel Control 16.50" | 1 |
| 28 | 54546 | Washer, 1/2-20 S/S | 1 | | 54528 | Bezel Control 33.50" | 1 |
| 29 | 54543 | Holder, Probe | 1 | 58 | 54504 | Control Box W/Ass'y, 12.50" | 1 |
| 30 | 55058 | Conduit Connector, 90° Flex | 2 | | 54522 | Control Box W/Ass'y, 16.50" | 1 |
| 31 | 70101018 | Tubing, Brass 1/2" X 3" Long | 5 | | 54529 | Control Box W/Ass'y, 33.50" | 1 |
| 32 | 88977 | Screw 6-32 X 1 Ph Pan Hd | 2 | 59 | 89184 | Bushing, .875 Heyco 2126 | 1 |
| 33 | 54524 | Bracket, Solenoid Valve | 1 | *60 | 54532 | 2 Well Wire Set | 1 |
| 34 | 54578 | Tubing, Copper, 1/4 .032 Wall Refrig | 1 | | 54533 | 3 Well Wire Set | 1 |
| 35 | 54508 | Connector, Male Brass | 2 | | 54534 | 4 Well Wire Set | 1 |
| 36 | 54549 | Nut, Hex 1/2-20 Plain | 1 | | 54235 | 5 Well Wire Set | 1 |
| 37 | 88971 | Screw, 8-32x1-1/2 SI Pn Hd SS | 1 | | 54236 | 6 Well Wire Set | 1 |
| 38 | 54510 | Liquid Level Control, Octal Base | 1 | | | *Not Shown | |
| | XXXX | Liquid Level Control, Open Board | 1 | | | | |
| 39 | 54513 | Valves, Water Solenoid | 1 | | | | |
| 40 | 54545 | O-Ring, 5/32" ID X 7/32" OD | 1 | | | | |
| 41 | 54512 | Strap, Hold Down | 1 | | | | |
| 42 | 54548 | Spacer, Phenolic | 1 | | | | |
| 43 | 55059 | Bushing, Antishort, 3/4", #4 | 2 | | | | |
| 44 | 87822 | Washer, Reducing 1 X 3/4 | 2 | | | | |
| 45 | 54511 | Base, Liquid Level Control Socket | 1 | | | | |
| 46 | 88961 | Nut, Hex 10-24, Green | 1 | | | | |
| 47 | 89071 | Washer, #10 Flat | 1 | | | | |
| | | | | | | | |
| | | Note: When ordering, ALWAYS speci | fy Part #_M | odel #_S | orial # Vol | tage & Phase. P/N 701030 | 69 7/05 |

Note: When ordering, ALWAYS specify Part #, Model #, Serial #, Voltage & Phase.

HFWEZ-2, -3, -4, -5. 6 WIRING DIAGRAM (THERMOSTATIC CONTROL CONFIGURATION)





IMPORTANT FOR FUTURE REFERENCE

Please complete this information and retain this manual for the life of the equipment. For Warranty Service and/or Parts, this information is required.

| _ | Model Number | Serial Number | Date Purchased |
|---------|--------------|---------------|--------------------|
| | Modernamber | Senainumber | Date Purchased |
| Notes:_ | | | |
| 140103 | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| Notes: | |
|--------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

APW WYOTT EQUIPMENT LIMITED WARRANTY

APW Wyott Foodservice Equipment Company warrants it's equipment against defects in materials and workmanship, subject to the following conditions:

This warranty applies to the original owner only and is not assignable.

Should any product fail to function in its intended manner under normal use within the limits defined in this warranty, at the option of APW Wyott such product will be repaired or replaced by APW Wyott or its Authorized Service Agency. APW Wyott will only be responsible for charges incurred or service performed by its Authorized Service Agencies. The use of other than APW Wyott Authorized Service Agencies will void this warranty and APW Wyott will not be responsible for such work or any charges associated with same. The closest APW Wyott Authorized Service Agent must be used.

This warranty covers products shipped into the 48 contiguous United States, Hawaii, metropolitan areas of Alaska and Canada. There will be no labor coverage for equipment located on any island not connected by roadway to the mainland.

Warranty coverage on products used outside the 48 contiguous United States, Hawaii, and metropolitan areas of Alaska and Canada may vary. Contact the international APW Wyott distributor, dealer, or service agency for details.

Time Period

One year for parts and one year for labor, effective from the date of purchase by the original owner. The Authorized Service Agency may, at their option, require proof of purchase. Parts replaced under this warranty are warranted for the un-expired portion of the original product warranty only.

Exceptions

- *Gas/Electric Cookline: Models GCB, GCRB, GF, GGM, GGT, CHP-H, EF, EG, EHP. Three (3) Year Warranty on all component parts, except switches and thermostats. (2 additional years on parts only. No labor on second or third year.)
- *Broiler Briquettes, Rock Grates, Cooking Grates, Burner Shields, Fireboxes: 90 Day Material Only. No Labor.
- *Heat Strips: Models FD, FDL, FDD, FDDL. Two (2) Year Warranty on element only. No labor second year.
- *Glass Windows, Doors, Seals, Rubber Seals, Light Bulbs: 90 Day Material Only. No Labor.

In all cases, parts covered by extended warranty will be shipped FOB the factory after the first year.

Portable Carry In Products

Equipment weighing over 70 pounds or permanently installed will be serviced on-site as per the terms of this warranty. Equipment weighing 70 pounds or under, and which is not permanently installed, i.e. with cord and plug, is considered portable and is subject to the following warranty handling limitations. If portable equipment fails to operate in its intended manner on the first day of connection, or use, at APW Wyott's option or its Authorized Service Agency, it will be serviced on site or replaced.

From day two through the conclusion of this warranty period, portable units must be taken to or sent prepaid to the APW Wyott Authorized Service Agency for in-warranty repairs. No mileage or travel charges are allowed on portable units after the first day of use. If the customer wants on-site service, they may receive same by paying the travel and mileage charges. Exceptions to this rule: (1) countertop warmers and cookers, which are covered under the Enhanced Warranty Program, and (2) to asters or rollergrills which have in store service.

Exclusions

The following conditions are not covered by warranty:

- *Equipment failure relating to improper installation, improper utility connection or supply and problems due to ventilation.
- *Equipment that has not been properly maintained, calibration of controls, adjustments, damage from improper cleaning and water damage to controls.
- *Equipment that has not been used in an appropriate manner, or has been subject to misuse or misapplication, neglect, abuse, accident, alteration, negligence, damage during transit, delivery or installation, fire, flood, riot or act of god.
- *Equipment that has the model number or serial number removed or altered.

If the equipment has been changed, altered, modified or repaired by other than an Authorized Service Agency during or after the warranty period, then the manufacturer shall not be liable for any damages to any person or to any property, which may result from the use of the equipment thereafter.

This warranty does not cover services performed at overtime or premium labor rates. Should service be required at times which normally involve overtime or premium labor rates, the owner shall be charged for the difference between normal service rates and such premium rates. APW Wyott does not assume any liability for extended delays in replacing or repairing any items beyond its control.

In all cases, the use of other than APW Wyott Authorized OEM Replacement Parts will void this warranty.

This equipment is intended for commercial use only. Warranty is void if equipment is installed in other than commercial application.

Water Quality Requirements

Water supply intended for a unit that has in excess of 3.0 grains of hardness per gallon (GPG) must be treated or softened before being used. Water containing over 3.0 GPG will decrease the efficiency and reduce the operation life of the unit.

Note: Product failure caused by liming or sediment buildup is not covered under warranty.

"THE FOREGOING WARRANTY IS IN LIEU OF ANY AND ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSES AND CONSTITUTES THE ENTIRE LIABILITY OF APW WYOTT. IN NO EVENT DOES THE LIMITED WARRANTY EXTEND BEYOND THE TERMS STATED HEREIN."

9/05



Phone: +1 (214) 421-7366 Fax: +1 (214) 565-0976 Toll Free: +1 (800) 527-2100 Website: www.apwwyott.com E-mail: info@apwwyott.com

APW WYOTT 729 Third Avenue Dallas, TX 75226